

# Introduction of the new heroes

Cable pulling systems  
of the next generation

Flexi  
Spinner



Smart  
Butler

Speedy  
Spinner

Easy  
Roller

# Heroes in series

Greenlee celebrates the introduction of the new heroes. The innovative generation of the new cable pulling systems convinces by approved quality and many clever details for professional cable installation. As with authentic heroes you can rely on a strong performance whenever needed.



## Smart Butler

### **The efficient hero.**

A practical and sturdy construction for a low friction winding and unwinding.

## Speedy Spinner

### **The quick hero.**

With a flexible fibreglass fish tape in a unique winder case for quick and easy pulling operations.





## Flexi Spinner

---

### **The hero in modern design**

With innovative technology and a smart design for professional cable pulling.

## Easy Roller

---

### **The lightweight and robust hero.**

A well-thought-out unit for easy handling of cable rollers.

## Speedy Spinner

With fibreglass fish tape of 3 mm dia.

# The quick hero

Bi-manual operation



Fish tapes of 3 mm dia. in length of 20, 30 and 40 m

Unique design

Quick winding and unwinding with just one finger



Unwinding facility



Including comprehensive accessories, glue and unwinding facility



Accessories cover enables floor reeling

Part No.

52055298 fibreglass fish tape 3 mm dia., 20 m length

52055299 fibreglass fish tape 3 mm dia., 30 m length

52055300 fibreglass fish tape 3 mm dia., 40 m length

# SPEEDY SPINNER

The portable cable puller

## Particularly user-friendly

Speedy Spinner features an extremely practical handling. During operation you just hold the lightweight cable puller in your hands while the flexible fibreglass spring enables a friction free and quick winding and unwinding of the cables.

### Highlights

- Unique user-friendly design
- Very easy and quick winding and unwinding of the fish tape
- Floor winding
- Bi-manual operation
- incl. accessories and unwinding facility
- Available lengths: 20/30/40 m
- Flexible fibreglass spring for quick winding and unwinding

### Scope of supply



52055304 Three fish tape leader with pulling eye M5

52055305 Flexible starting spinner with eyelet and M5 thread

52055306 Spring control with pulling eye M5 – 10 mm

52055307 Spring control with pulling eye M5 – 13 mm

52055308 Three starting lending joints, M5 thread

52055309 Three coupling joints

52055311 Unwinding facility 3 – 6 mm dia.

52055312 Repair glue for fibreglass fish tape 3 mm dia.


- Pulling grip M5, ø 4 – 15 mm

### Repair Set



52055303 consists of 11 pc. set

### Accessories



#### Fibreglass fish tape with unwinding facility

52055289 3 mm dia. 20 m

52055290 3 mm dia. 30 m

52055291 3 mm dia. 40 m

> [www.klauke.com/die-neuen-helden](http://www.klauke.com/die-neuen-helden)

## Flexi Spinner

Fish Tape, Polyester, 4.5 mm dia

# The hero in modern design



Insertion aid

Part No.	
52055389	Polyester tape 4.5 mm dia., 20 m length
52055390	Polyester tape 4.5 mm dia., 25 m length
52055391	Polyester tape 4.5 mm dia., 30 m length
52055392	Winder case, empty

The portable fishing system

## Super flexible

The Flexi Spinner features a modern and easy to handle design and a rugged case for tough jobs. The Polyester tape integrated in the case is very flexible and sturdy. Operation even in narrow conduits is easy and simple. The Flexi Spinner can be operated with both hands and is available in lengths of 20 m, 25 m and 30 m.

### Highlights

- Modern and attractive design
- Rugged case
- The flexible polyester tape ensures superior rapid tape pay-out and rewind
- Can be operated with both hands
- Incl. Set of accessories and insertion aid
- Length: 20 / 25 / 30 m

### Scope of supply



52055398 Two pulling eye M5

52055397 Two tips with pulling eye M5

52055311 Insertion aid for pulling system

### Accessory



#### Replacement fish tapes

52055294 Polyester tape 20 m

52055295 Polyester tape 25 m

52055296 Polyester tape 30 m



## Easy Roller



# The lightweight and robust hero

Two versions are available

Part No.	Drum diameter	Width	Load	Weight
52055383	200 – 700 mm	500 mm	200 kg	10 kg
52055384	200 – 700 mm	700 mm	250 kg	11 kg



Flexible adjustment to the cable drum diameter



Ramp with little down-grade for easy winding and unwinding

Part No.

52055383 Easy Roller Standard (605 x 570 x 90 mm)

52055384 Easy Roller Broad (710 x 605 x 95 mm)

## The ultra-light cable drum unwinder Particularly flexible

Withstanding a lot but still a lightweight – makes the transport of the Easy Roller a child's play. But that's not all. The ramp with little down-grade and integrated side guidance eases winding and unwinding of large cable drums. The castors can easily be adjusted to the diameter of the cable drums.

### Highlights

- Robust but yet lightweight design – zinc plated steel and spray coated
- 30% lower weight
- Ramp with little down-grade for easy winding and unwinding
- Adjustment of castors to the diameter of cable drums
- Castor with integrated side guidance

### Examples of application



Smart Butler

# The efficient hero

Approved Greenlee quality



Unique and robust design

Efficient locking brake



Teflon® coated adapter for low friction winding and unwinding

Accessories within reach



Zinc plated and spray coated steel tubes

## The mobile cable puller

# Particularly versatile

Whether you have to install cables in large industrial buildings or to lay underground cables – the sturdy floor-mounted steel tube appliance convinces by versatile applications. It's an obedient device and always at your service. The high quality and well-thought-out details such as the Teflon® coated adapter and accessories always within reach make working much more efficient.

### Highlights

- Unique design, zinc plated and spray coated
- Extra sturdy construction – accessories attached to the Smart Butler
- Teflon® coated adapter for low friction winding and unwinding
- Efficient locking brake (Wheel locks after ¼ rotation)
- Ball-bearing enables low friction winding and unwinding

### Scope of supply



#### 4.5 mm | 6 mm dia.

Pressed on starter and end bushing

Bulb with shackle

leader with pulling eye

connecting bushing WW ½"-M6

#### 7.5 mm | 9 mm | 11 mm dia.

Pressed on starter and end bushing

Bulb with shackle

Leader with pulling eye

Connecting bushing WW ½" – M12

Bulb with castor

### Repair Set



Repair glue

Connecting bushing WW ½" – M12

Pressed on starter and end bushing

**52055324** Temporary repair set for fibreglass stick 4.5 mm dia.

**52055336** Temporary repair set for fibreglass stick 6 mm dia.

**52055375** Temporary repair set for fibreglass stick 7.5 mm dia.

**52055376** Temporary repair set for fibreglass stick 9 mm dia.

**52055377** Temporary repair set for fibreglass stick 11 mm dia.

> [www.klauke.com/die-neuen-helden](http://www.klauke.com/die-neuen-helden)

**Examples of application**



**Accessories**



- 52055320** Fish tape leader with pulling eye WW ¼" for stick 4.5 - 6 mm dia.
- 52055321** Starter and end bushing WW ¼" for stick 4.5 mm dia.
- 52055322** Connecting bushing for stick 4.5 mm dia.
- 52055323** Bulb with shackle WW ¼"
- 52055333** Starter and end bushing WW ¼"
- 52055334** Connecting bushing for stick 6 mm dia.
- 52055335** Bulb with shackle WW ¼"
- 52055367** Bulb with shackle WW ½"
- 52055368** Bulb with castor WW ½"
- 52055369** Starter and end bushing WW ½" for stick 7.5 mm dia.


- 52055370** Starter and end bushing WW ½" for stick 9 mm dia.
- 52055371** Starter and end bushing WW ½" for stick 11 mm dia.
- 52055372** Connecting bushing for stick 9 mm dia.
- 52055373** Connecting bushing for stick 11 mm dia.
- 52055374** Connecting bushing WW ½" with whirls
- 52056116** Connecting bushing for stick 7.5 mm dia.
- 52056117** Connecting bushing WW ½" – M12 for sticks 7.5, 9, 11 mm dia.
- 52056114** Connecting bushing WW ¼" – M6 for sticks 4.5, 6 mm dia.

# HEROES IN SERIES

Speedy Spinner



Easy Roller



Smart Butler



**Polyester fibre fish tapes**

4.5 mm dia. with removable M5 starter and end bushing, fish tape leader and winding facility

# Perfect henchman



← Accessories within reach



Part No.	
52055292	4.5 mm dia., 10 m length
52055293	4.5 mm dia., 15 m length
52055294	4.5 mm dia., 20 m length
52055295	4.5 mm dia., 25 m length
52055296	4.5 mm dia., 30 m length

**Highlights**

- 50% less friction than nylon fish tapes
- Exchangeable fish tape leader with eye
- Winding facility included
- Extremely flexible and nearly unbreakable
- Length: 10/15/20/25/30 m

**Accessories**

- 52055396 5 pcs. set for polyester fibre fish tapes
- 1 Winding facility
  - 2 Spring fish tape leader M5
  - 2 Pulling eyes M5

# FISH TAPES



## Perlon® fish tapes

4 mm dia. with pressed on M4 starter bushing, removable fish tape leader and pulling eye

### Part No.

52055276 (5 m length)

52055279 (20 m length)

52055277 (10 m length)

52055280 (25 m length)

52055278 (15 m length)

52055281 (30 m length)

### Accessories:

52055288 spares for perlon fish tapes, fish tape leader M4, pulling eye



## Nylon fish tapes

4 mm dia. with pressed on fish tape leader and pulling eye

### Part No.

52055270 (5 m length)

52055273 (20 m length)

52055271 (10 m length)

52055274 (25 m length)

52055272 (15 m length)

52055275 (30 m length)



## Steel fish tapes

4 mm dia. with pressed on fish tape leader and pulling eye

### Part No.

52055282 (5 m length)

52055285 (20 m length)

52055283 (10 m length)

52055286 (25 m length)


52055284 (15 m length)

52055287 (30 m length)




Cable pulling sticks and accessories

# Strong support



Part No.	
52055385	10 flexible sticks (10 m)
52055386	5 flexible sticks (5 m)

Set of accessories, 8 pcs. (Part No. 52055387)



Set of accessories, 4 pcs. (Part No. 52055388)



# PULLING STICKS

## Cable pulling sticks

# Long distance with high tension

Fibre glass cable pulling sticks represent the perfect alternative to fish tapes for example for installing cables in hollow spaces, cable conduits and above suspended ceilings. Distances of more than 10 m in any angles of elevation can easily be bridged. In addition various cross sections offer a high tractive power.

### Highlights

- Extremely flexible and nearly unbreakable with specific outer coating
- Timesaving laying of cables
- Cable laying also under difficult conditions

### Accessories

- 52055387 Set of accessories for pulling sticks (8 pcs.)
- 52055388 Set of accessories for pulling sticks (8 pcs.)

### Scope of supply

#### 10 flexible sticks, 10 m (Part No. 52055385)

- 4 pcs. light green fibreglass sticks 5.6 mm dia. with WW connecting bushing
- 1 pc. light green fibreglass stick 5.6 mm dia. with WW connecting bushing und swivel joint
- 2 pcs. black fibreglasse sticks 6 mm dia. with WW connecting bushing
- 2 pcs. green fibreglass sticks 4.6 mm dia. with WW connecting bushing
- 1 pc. white nylon stick 4 mm dia. with WW connecting bushing
- Incl. accessories (Part No. 52055387)

#### 5 flexible sticks, 5 m (Part No. 52055386)

- 3 pcs. light green fibreglass sticks 5.6 mm dia. with WW connecting bushing
- 1 pc. black fibreglasse stick 6 mm dia. with WW connecting bushing
- 1 pc. white nylon stick 4 mm dia. with WW connecting bushing
- Incl. accessories (Part No. 52055388)

### Examples of application



Cable pulling lubricant

# Liquid aid



**Cable pulling lubricant, liquid for fibre optic and heavy duty cables**

52055381 (5 kg)  
52055382 (10 kg)



**Lubricant foam in bottle for electrical installations in civil complexes and for large cable diameters**

52055380 (1 kg)



**Lubricant foam – spray for electrical installations in conduits of 16 – 25 mm**

52055378 (400 ml)



**Lubricant gel in tube for electrical installations in conduits of 16 – 25 mm**


52055379 (0.25 kg)

**Highlights**

- Electro-/Telephone cable in pipes 16 – 150 mm
- 80% less friction
- bio-degradable
- Silicon free

# EXAMPLES OF APPLICATION

## Application

Type	Rod Diameter	Pipe Diameter	Pushing Energier	Min. Bending Radius	Breaking Strength	Pulling Strength	Advised length
							
	ø mm	ø mm	Kg	mm	Kg	Kg	m
 <b>Speedy Spinner</b>	3	16 - 32	+++	160	400	110	20-30 (+ 2-3 m)
 <b>Smart Butler</b>	4.5	40 - 60	+++	310	1200	>200	40-60 (+ 3-5 m)
<b>Smart Butler</b>	6	50 - 80	+++	400	2000	>300	40-80 (2-3 m)
 <b>Smart Butler</b>	7.5	63 - 100	+++	500	3000	>400	20-30 (+ 3-5 m)
<b>Smart Butler</b>	9	63 - 125	+++	620	4500	>500	20-30 (+ 3-5 m)
	11	63 - 150	+++	770	7500	>700	150-250 (+ 3-5 m)
 <b>Polyester</b>	4.5	16 - 32	+++	100	250	140	10-25
 <b>Nylon, Perlon®</b>	4	16 - 25	+	80	280	120	10-20
 <b>Stahl</b>	4	16 - 25	+	100	900	115	10-20

civil application

industrial application

**Speedy Spinner**

**Fiberglass cable pulling system with accessories**



**Part No.      Diameter      Length**

52055298      ø 3 mm      20 m

52055299      ø 3 mm      30 m

52055300      ø 3 mm      40 m

**Flexi Spinner**

**Polyester cable pulling system with accessories**



**Part No.      Diameter      Length**

52055389      ø 4.5 mm      20 m

52055390      ø 4.5 mm      25 m

52055391      ø 4.5 mm      30 m

52055391      Winder case, empty

**Smart Butler**

**Smart Butler Fiberglass cable pulling system with steel reel and accessories**

**Steel reel ø 330 mm**

**Steel reel ø 550 mm**

**Steel reel ø 660 mm**



**Part No.      Diameter      Length**

52055313      ø 4.5 mm      40 m

52055315      ø 4.5 mm      60 m

52055316      ø 4.5 mm      80 m

**Part No.      Diameter      Length**

52055325      ø 6 mm      40 m

52055326      ø 6 mm      60 m

52055327      ø 6 mm      80 m

52055328      ø 6 mm      100 m

**Part No.      Diameter      Length**

52055337      ø 7.5 mm      40 m

52055338      ø 7.5 mm      60 m

52055339      ø 7.5 mm      80 m

52055340      ø 7.5 mm      100 m

52055341      ø 7.5 mm      120 m

**Spare fish tapes**

52055317      ø 4.5 mm      40 m

52055318      ø 4.5 mm      60 m

52055319      ø 4.5 mm      80 m

**Spare fish tapes**

52055329      ø 6 mm      40 m

52055330      ø 6 mm      60 m

52055331      ø 6 mm      80 m

52055332      ø 6 mm      100 m

**Spare fish tapes**

52055342      ø 7.5 mm      40 m

52055343      ø 7.5 mm      60 m

52055344      ø 7.5 mm      80 m

52055345      ø 7.5 mm      100 m

52055346      ø 7.5 mm      120 m

# ALL PRODUCTS AT A GLANCE

## Easy Roller

The ultra-light cable drum unwinder (two versions)



Part No.	Dimensions
52055383	Standard (605 x 570 x 90 mm)



Part No.	Dimensions
52055384	Wide (710 x 605 x 95 mm)

## Steel reel ø 790 mm with castors



Part No.	Diameter	Diameter of steel reel	Length
52055347	ø 9 mm	ø 660 mm	40 m (w/o castors)
52055348	ø 9 mm	ø 660 mm	60 m (w/o castors)
52055349	ø 9 mm	ø 790 mm	80 m
52055350	ø 9 mm	ø 790 mm	100 m
52055351	ø 9 mm	ø 1000 mm	120 m
52055352	ø 9 mm	ø 1000 mm	150 m

## Steel reel ø 1000 mm with castors



Part No.	Diameter	Length
52055359	ø 11 mm	150 m
52055360	ø 11 mm	200 m
52055361	ø 11 mm	250 m
52055362	ø 11 mm	300 m

## Spare fish tapes

52055353	ø 9 mm	40 m
52055354	ø 9 mm	60 m
52055355	ø 9 mm	80 m
52055356	ø 9 mm	100 m
52055357	ø 9 mm	120 m
52055358	ø 9 mm	150 m

## Spare fish tapes


52055363	ø 11 mm	150 m
52055364	ø 11 mm	200 m
52055365	ø 11 mm	250 m
52055366	ø 11 mm	300 m

Fibreglass fish tape with winding facility



Part No.	Diameter	Length
52055289	ø 3 mm	20 m
52055290	ø 3 mm	30 m
52055291	ø 3 mm	40 m

Cable pulling sticks



Part No.	Length	Piece
52055385	10 m	10 pcs.
52055386	5 m	5 pcs.

Fish tapes

**Polyester fibre**



Part No.	Length	Diameter
52055292	10 m	ø 4.5 mm
52055293	15 m	ø 4.5 mm
52055294	20 m	ø 4.5 mm
52055295	25 m	ø 4.5 mm
52055296	30 m	ø 4.5 mm

**Nylon**



Nylon fish tape	Length
52055270	5 m
52055271	10 m
52055272	15 m
52055273	20 m
52055274	25 m
52055275	30 m

**Perlon**



Perlon fish tape	Length
52055276	5 m
52055277	10 m
52055278	15 m
52055279	20 m
52055280	25 m
52055281	30 m

**Steel**



Steel fish tape	Length	Diameter
52055282	5 m	ø 4 mm
52055283	10 m	ø 4 mm
52055284	15 m	ø 4 mm
52055285	20 m	ø 4 mm
52055286	25 m	ø 4 mm
52055287	30 m	ø 4 mm

Cable pulling lubricant

**Bottle**

Lubricant foam



Part No.	Contents
52055378	400 ml

**Tube**

Cable pulling lubricant Gel



Part No.	Contents
52055379	0.25 kg

**Bottle**

Cable pulling lubricant Gel



Part No.	Contents
52055380	1 kg

**Can**

Cable pulling lubricant Liquid



Part No.	Contents
52055381	5 kg

**Can**

Cable pulling lubricant Liquid



Part No.	Contents
52055382	10 kg





Strong brands for your success:

**Klauke**<sup>®</sup>



**Gustav Klauke GmbH**

Auf dem Knapp 46  
D-42855 Remscheid

Telefon: +49 (0) 2191 / 907 - 0  
Telefax: +49 (0) 2191 / 907 - 141

E-Mail: [info@klauke.textron.com](mailto:info@klauke.textron.com)  
Internet: [www.klauke.com](http://www.klauke.com)